ADVANCING VENTILATION®

RESIDENTIAL AND COMMERCIAL

PRODUCT LINE OVERVIEW



PROPELLER SIDEWALL SYSTEMS



ACF
Downblast Direct Drive Exhaust Fan
- Size 48
- 20,300 CFM

S&P USA	ACF
ACME	AGD
Twin City	WPD



DDE/DDS
High Pressure Direct Drive Exhaust/Supply Fan
- Size 24–60
- 3,500–55,800 CFM

S&P USA	DDE/DDS
Cook	XW
Greenheck	AER
Twin City	WPD



DFE/DFS
Medium Pressure Direct Drive Exhaust/Supply Fan
- Size 10–30
- 37–12,415 CFM

S&P USA	DFE/DFS
Cook	XW
Greenheck	AER
Twin City	WPD



GED /GSD
Low Pressure Direct Drive Exhaust/Supply Fan
- Size 10–20
- 227–3,452 CFM

S&P USA	GED
Cook	XW
Greenheck	AER
Twin City	TCPE



eGED /eGSD
Low Pressure Direct Drive Exhaust/Supply Fan with EC Motor
- Size 12–20
- 489–3,718 CFM

S&P USA	eGED
Cook	XW
Greenheck	SE
Twin City	TCPE



LCE /LCS
Low Pressure Drive Exhaust/Supply Belt Drive Model
- Size 20–60
- 2,783–40,855 CFM

S&P USA	LCE/LCS
Cook	AW, Xstream
Greenheck	SBE/SBS
Twin City	WPB



L2E/L2S
Medium Pressure Drive Exhaust/Supply Belt Drive Model
- Size 24–60
- 2,733–47,161 CFM


S&P USA	L2E/L2S
Cook	EW
Greenheck	SBCE/SBCS
Twin City	WPB



L3E/L3S
High Pressure Drive Exhaust/Supply Belt Drive Model
- Size 42–72
- 21,683–85,089 CFM


S&P USA	L3E/L3S
Cook	EW
Greenheck	SBCE/SBCS
Twin City	WPB

GRAVITY VENTS INTAKE/RELIEF



BGH
Fabricated Gravity Relief/Intake Ventilator
- Size 12 x 12
- 72 x144
- 536–90,000 CFM

S&P USA	BGH
Cook	GI/GR
Greenheck	FGI
Twin City	MGR/MGI



RCXII/RCXII-SF
Gravity Relief/Intake Ventilators
- Size 6–36
- 64–10,378 CFM

S&P USA	RCXII-RCXII-SF
Cook	PR
Greenheck	GRSI/GRSR
Twin City	GRV



RLX
Louvered Penthouse
- Size 12 x 12
- 84 x144
- 692–85,765 CFM

S&P USA	RLX
Cook	TRE
Greenheck	WIH/WRH
Twin City	TEL/TIL

ECOWATT® Option | Kitchen Exhaust Option | High Wind Option | High Temperature Option | Quick Ship Option

CENTRIFUGAL ROOF AND SIDEWALL MODEL



CWD
Direct Drive Centrifugal Sidewall Exhaust Fan
- Size 7–16
- 66–3,360 CFM



LPD
Low Profile Direct Drive Exhaust
- Size 6–8
- 43–423 CFM

S&P USA	LPD
Cook	ACED
Greenheck	G
Twin City	VC



SDB
Downblast Exhaust Fan
- Size 6–48
- 41–31,563 CFM

S&P USA	SDB
Cook	ACEB
Greenheck	GB
Twin City	DCRD



SDBe
Downblast Belt Drive Exhaust Fan with EC Drive
- Size 18–30
- 2,170–19,300 CFM

S&P USA	SDBe
Cook	ACEB
Greenheck	GB
Twin City	DCRD



SDBD
Downblast Direct Drive Exhaust Fan
- Size 6–16
- 53–4,984 CFM

S&P USA	SDBD
Cook	ACED
Greenheck	G
Twin City	BCRD



SDBDe
Downblast Direct Drive Exhaust Fan with EC Motor
- Size 6–18
- 53–4,194 CFM

S&P USA	SDBDe
Cook	ACED
Greenheck	GB
Twin City	DCRD



STXBe/STXBe-RHUL
Upblast Belt Drive Exhaust Fan with EC Motor
- Size 18–30
- 1,872–17,900 CFM

S&P USA	STXBe/STXBe-RHUL/STXBe-HT2/STXBe-HT
Cook	ACRUB
Greenheck	CUBE
Twin City	VCUB



STXB/STXB-RHUL/ STXB-HT2/STXB-HT
Upblast Exhaust Fan
- Sizes 8–48
- 201–37,920 CFM

S&P USA	STXB/STXB-RHUL/ STXB-HT2/ STXB-HT
Cook	ACRUB
Greenheck	CUBE
Twin City	VCUB



STXD/STXD-RHUL
Upblast Direct Drive Exhaust Fan
- Size 6–16
- 56–4,781 CFM

S&P USA	STXD/ STXD-RHUL
Cook	ACRU
Greenheck	CUE
Twin City	VCU



STXDe/STXDe-RHUL
Upblast Direct Drive Exhaust Fan with EC Motor
- Size 6–18
- 56–4,272 CFM

S&P USA	STXDe/ STXDe-RHUL
Cook	ACRUD
Greenheck	CUE
Twin City	VCU

UTILITY EXHAUST/ SUPPLY FAN



CM/CM-RHUL/CM-HT
Belt Drive Utility Vent Set
- Sizes 10–36
- 499–23,958 CFM

S&P USA	CM/CM-RHUL/ CM-HT
Cook	CPV
Greenheck	USF
Twin City	BCV/BCVR

INLINE TUBEAXIAL FANS



TDB
Belt Drive Inline Tubeaxial
- Size 12–60
- 914–75,490 CFM

S&P USA	TDB
Greenheck	TI
ACME	TBI-CA
Twin City	TB



TDD
Direct Drive Inline Tubeaxial
- Size 12–48
- 855– 40.194 CFM

S&P USA	TDD
Greenheck	AD
ACME	AX
Twin City	TD



PCD COMMERCIAL DUTY CABINET FANS

Ceiling Mount Cabinet Ventilators

- Size 100–1000
- 100-1000 CFM

S&P USA	PCD Comm. Duty Cab. Fans
Greenheck	SP-A
Broan	"L" LOSONE
Loren Cook	Gemini GC



PCD-IL INLINE CABINET FANS

Inline Cabinet Ventilators

- Size 100-1000
- 100-1000 CFM

S&P USA	PCD-IL
Greenheck	CSP
Broan	"LL" LOSONE
Panasonic	Whisper Fresh Select & Whisperline FV



PCD

Premium Choice DC Motor Series

- Size 80–110
- 80–140 CFM

S&P USA	PCD
Greenheck	SP-AP
Broan	L100E, L150E
Panasonic	Whisper Ceiling DC*



PCLPD100XHP

Premium Choice DC Motor Low Profile with Humidity Sensor

- Size 100
- 30–100 CFM

S&P USA	PCLPD100XHP
Greenheck	SP-LP
Broan	BROAN LP
Panasonic	Whisper Value DC



PCLPXP

Premium Choice Low Profile XP Series

- Size 80–100
- 80–100 CFM

S&P USA	PCLPXP
Greenheck	SP-LP/SP-B
Panasonic	Whisper Value DC



PCV

Premium Choice Value Series

- Size 50–80
- 50–80 CFM

S&P USA	PCV
Greenheck	SP-B
Panasonic	Whisper Ceiling*
Broan	AE Series



PCXP

Premium Choice AC Motor Series

- Size 50–150
- 50–150 CFM

S&P USA	PCXP
Greenheck	SP-B
Panasonic	Whisper Ceiling*



PRF

Radon Mitigation Fan

- Size 100
- 150 CFM

S&P USA	PRF
Systemair/ Fantech	RN4-3EC
Panasonic	Whisper Ceiling DC



PV-DEDPV

Dryer Exhaust Duct Power Ventilator UL 705 Listed for Gas, Electric Dryers

- 130 CFM

S&P USA	PV-DEDPV
Systemair/ Fantech	DBF110/ DEDPV705
TJERNLUND	DBM



PV-POWER VENT

Inline Centrifugal Duct Fan

- Size 100X–315X
- 153–943 CFM

S&P USA	PV-Power Vent
Systemair/ Fantech	FR/FKD
TJERNLUND	X2



reFresh

Filtered Supply Fan

- Size 8–10
- 7–182 CFM

S&P USA	REFRESH
Panasonic	Whisper Fresh Select
Broan	Fresh In



SWF

Sidewall Fan

- Size 100–200
- 26–416 CFM

S&P USA	SWF
Systemair/ Fantech	RVF

THE BEST WAY TO MOVE AIR THROUGH ROUND DUCT



TD

Inline Mixed Flow Duct Fan

- Size 100–400
- 101–3,127 CFM

S&P USA	TD
System Aire/ Fantech	FR/FG



TD-SILENT

Inline Mixed Flow Duct Fan

- Size 125X–200
- 28–502 CFM

S&P USA	TD-SILENT
System Aire/ Fantech	PRIO SILENT



MD, MDX-ES24VK KITS

Motorized Dampers

- Size 4"–14"
- Kits: 4"–8"

S&P USA	MD
Broan	FRESH IN

ENSURES COMPLIANCE WITH OUTSIDE AIR CODES



ES24V

Envirosense Ventilation Control Outside Air Controller

AIR MOVEMENT FANS



TEMPEST

6-Blade HVLS

- Size 8–16

S&P USA	TEMPEST
Greenheck	DC-5,DS-3, DS-6,DM-3
Big Ass Fans	FES2
Marco Aire	D-370
Hunter	XP




TORNADO

5-Blade HVLS

- Size 14–24

S&P USA	TORNADO
Greenheck	DC-5,DS-3, DS-6,DM-3
Big Ass Fans	PFX4
Marco Aire	AVD



CREWCOOLER™

Aisle Air Circulator /Work-Station Spot Cooler

Size 24", 48"

ENERGY RECOVERY VENTILATORS (ERVS)



TR

Total Recovery Series for Residential and Light Commercial Use

- Size 90–200
- 30–225 CFM

S&P USA	TR
Greenheck	ASSURE
System Aire/ Fantech	FIT/ATMO
Panasonic	INTELLI-BALANCE



TRe/TReN

Total Recovery Premium Series with EC Motors for Residential and Light Commercial Use

- Size 90–300
- 30-280 CFM

S&P USA	TRe/TReN
Greenheck	SYNC
System Aire/ Fantech	FIT-EC/ HERO-EC/ ATMO-EC
Broan	AI/ONE
Panasonic	INTELLI-BALANCE




TRLPe

Total Recovery Low Profile Model with EC Motors for Residential and Light Commercial Use

- Size 110
- 20-130 CFM

S&P USA	TRLPe
Greenheck	SYNC
System Aire/ Fantech	FIT-EC
Broan	BLP
Panasonic	INTELLI-BALANCE



TReN-RT

Commercial ERV Series for Outdoor/ Rooftop installation


- Size 500–1600
- 295 - 2300 CFM

S&P USA	TReN-RT
Greenheck	ERVe



BACNET FAN CONTROL

BTL-listed Accessory Connecting ERVs with BMS



TRCe/TRCeN

Commercial ERV Model for Indoor Installation

- Size 500–1200
- 133-2038 CFM

S&P USA	TRCe/ TRCeN
Greenheck	ECV/ ERVi
System Aire/ Fantech	SER

JET FAN SERIES



IFAB/IFEB
Low Profile Centrifugal Jet Fans
- Size 11N–12N
- 1,350–1,530 CFM

S&P USA	IFAB/IFEB
Systemair/ Fantech	IVEC



IFFT/IFFTe
Centrifugal Jet Fan
- Size 20N–100N
- 1,754–5,498 CFM


S&P USA	IFFT/IFFTe
Greenheck	GJI
Zoo Fan	JVEC-SLP, JVEC-ULP. JVEC - LP, JVEC-SP, JVEC-HP
Systemair/ Fantech	IV 50 EC



TJFU
Medium Pressure Direct Drive Exhaust/ Supply Fan
- Size 315–400
- 1,560–6,474 CFM


S&P USA	TJFU
Cook	Jet Stream
Greenheck	GJX
Twin City	AJR

BELT DRIVE ROOF SUPPLY FAN



CSF
Centrifugal Filtered Roof Supply Fan
- Size 9–20
- 475–12,520 CFM

S&P USA	CSF
Cook	HLC
Greenheck	ASP



KSFV
Kitchen Supply Fan
- Size 9–20
- 475–12,600 CFM

S&P USA	KSFV
Cook	KSP
Greenheck	KSQ
Twin City	BCRFS



LSF
Centrifugal Filtered Roof Supply Fan
- Size 9–20
- 475–12,520 CFM

S&P USA	LSF
Cook	ASP-T
ACME	AFSN
Twin City	LPSF

CENTRIFUGAL INLINE MODEL



CFD
Forward Curved Belt Drive Inline Duct Blower
- Size 7–15
- 200–5,800 CFM

S&P USA	CFD
Greenheck	DBX
ACME	DM
Twin City	DBS



CTB/CTB-RHUL
Belt Drive Inline Tubular
- Size 9–42
- 300–20,300 CFM

S&P USA	CTB/ CTB-RHUL
Cook	TSN
Greenheck	QEI*Re-placed with Mixed Flow
Twin City	TCL



SMXDK/SMXDK-HT
Direct Drive Mixed Flow Fan
- Size 9–30
- 350–23,486 CFM

S&P USA	SMXDK/ SMXDK-HT
Cook	QMX
Greenheck	QEI
Twin City	QCLB, QCLRBR, QCLBSH



SQB
Belt Drive Square Inline Fan
- Size 7–42
- 86–24,544 CFM

S&P USA	SQB
Cook	SQN
Greenheck	BSQ
Twin City	BSI



SQD/eSQD
Direct Drive Square Inline Fan
- Size 6–15
- 93–2,879 CFM

S&P USA	SQD/eSQD
Cook	SQI
Greenheck	SQ
Twin City	DSI

PROPELLER ROOF VENTILATORS



ARE/ARS
Dome Axial Power Roof Exhaust/Supply Fan with Direct Drive
- Size 121A – 201A
- 163–2,827 CFM

S&P USA	ARE/ARS
Cook	AQ
Greenheck	AE/AS
Twin City	VC



HREB-C/HREB-P
Hooded Exhaust Fan with Belt Drive
- Size 24–72
- 1,159–93,240 CFM

S&P USA	HREB-C/ HREB-P
Cook	HEE
Greenheck	RBCF/RBCS/ RBE
Twin City	LHB



HRED-C
Hooded Exhaust Fan with Direct Drive
- Size 24–60
- 1,193–48,780 CFM

S&P USA	HRED-C
Greenheck	RCE
Twin City	LHD



HRSB
Hooded Supply Fan with Belt Drive
- Size 24–60
- 2,979–52,534 CFM

S&P USA	HRSB
Cook	HES
Greenheck	RCS3
Twin City	LHBF



HRSD
Hooded Supply Fan with Direct Drive
- Size 24–54
- 2,509–50,109

S&P USA	HRSD
Greenheck	RS2
Twin City	LHDF



TUB/TUB-HT/TUB-P
Tubeaxial Upblast Exhaust Fan with Remote Drive
- Sizes 24–60
- 4,321–60,116 CFM

S&P USA	TUB/TUB-HT/TUB-P
Cook	AU/TU
Greenheck	TAUB
Twin City	TUB



UBB
Upblast Exhaust Fan with Belt Drive
- Size 24–72
- 3,090–70,800 CFM

S&P USA	UBB
Cook	LXU, LEU
Greenheck	RBU
Twin City	LUB



UBS/UBS-P
Upblast Exhaust Fan with Belt Drive
- Size 24–60
- 3,732–58,500 CFM

S&P USA	UBS/UBSP
Cook	LXU, LEU
Greenheck	RBU
Twin City	LUB



UBSRD/UBSRD-HT/ UBSRD-HT1/UBSRD-P
Upblast Exhaust Fan for Heat and Smoke Removal with Remote Drive
- Size 24–60
- 4,977–52,173 CFM

S&P USA	UBSRD/ UBSRD-HT/ RBSRDHT1/ UBSRD-P
Cook	LXUMO
Greenheck	RBUMO
Twin City	LUBSH



UBX
Upblast Exhaust Fan with Direct Drive
- Size 24–72
- 5,200–65,500 CFM

S&P USA	UBX
Cook	LXU, LEU
Greenheck	RBU
Twin City	LUB

FIND SPECIFICATIONS, SUBMITTALS AND MORE AT SOLERPALAU-USA.COM

S&P USA VENTILATION SYSTEMS, LLC
6393 Powers Avenue; Jacksonville, FL 32217
SolerPalau-USA.com | 800.961.7370

Soler&Palau Ventilation Group

S&P CANADA VENTILATION PRODUCTS, INC.
6710 Maritz Drive, Unit 7; Mississauga, ON L5W 0A1
SolerPalauCanada.com | 416.744.1217
custserv.ca@SolerPalau.com